


The nose strip of the face mask plays a supporting role on the nose bridge and prevents dust from entering.



For the face of people, the one-wire nose wire plays a supporting role. It protects the cleanness of the air in the face mask. It is used in surgery and other regions that need to be protected. One wire nose wire is often used in life.

The product is easy to recycle, avoiding unnecessary waste. It has the advantage of arbitrary bending and can bend in any directions.

The specification of one-wire nose wire: Virgin 100%PP material, stainless steel wire or galvanized iron, .2.5-4.0mm width 0.9-1.2mm thickness

Material: Polypropylene	Thickness: 0.9-1.2mm	Length/KG: 350m-400m
CBM/ Ton: 2	Packing Quantity: 2 Rolls/CTN ,21kg/CTN	Width:2.5-4.0mm
Split Joint Times: ≤ 2	CTN size: 35cm*35cm*25cm	Application: Surgical Face Masks
Loading Port: Shanghai China	20GP/40HQ Q'ty: 12 Tons/35Tons	Brand Name: SENCI
Certificate:SGS,MSDS,RoHS	MOQ: 500 KGS	Supply Ability: 200 Ton /Month

Our company provides one-wire nose strip. We can also offer different kinds of nose belt to meet different needs. The odorless polypropylene and polyethylene materials we use are all environmental. The nose strip is easily bendable and can keep its shape. It has sophisticated production and the cost is comparatively low.

The outer coating wire is of high quality because of the galvanized iron and pure material. It is convenient to handle and recycle.

Our company produces the one-wire nose strip to be used in planar face mask, surgical face mask, cup-shaped mask, foldable face masks, disposable face masks, etc.

The one-wire nose strip produced by our company can be used in surgical and medical face masks, BFE 99 face masks, N95 face masks, FFP2 three-dimensional face masks and so on.

Our one-wire nose strips are mostly used for surgical and disposable masks. Products of our company have the features of good adaptability and sustainability. They are also easy in operation. To meet needs of different customers, we can provide plastic spool.

According to the different materials, our nose stripes are mainly divided into one wire nose stripe, double-wires nose stripe, full plastic nose stripe, full aluminum nose stripe. They are all used for the nose bridge support strips of face masks, and easy to use, environmentally friendly, and play a very good auxiliary role for the face mask production factory in the world.

One-wire	Virgin PP material, stainless steel wire or galvanized iron, 2.5-4.0mm width 0.9-1.2mm thickness	Length/KG: 350m-400m
Double-wires	Virgin pp material, stainless steel wire or galvanized iron, 2.5-8.0mm width 0.9-1.2mm thickness	Width:2.5-4.0mm
Full plastic	Virgin PE material, 2.8-3.2mm width 0.6-0.9mm thickness	Application: Surgical Face Masks
Full aluminum	Soft aluminum, 3mm-5mm width,0.5-0.85mm thickness, can be packed with or without a plastic spool	Brand Name: SENCI
Certificate:SGS,MSDS,RoHS	MOQ: 500 KGS	Supply Ability: 200 Ton /Month

The nose wire is made by stretching and rolling with an injection molding machine without adding any chemical materials when producing. The product has the characteristics of softness, no burry, no injury to hands, and is conducive to environmental protection and recycling.



1. Configure and mix the raw materials



2. Extruded the plastic strip



3. Cooling down the temperature



4. Cooling down the temperature



5. Cooling down the temperature



6. Cooling down the temperature